

Windows Server Backup Status

 CHECKCENTRAL


 BINARYFORTRESS

Check Windows Server Backup Status


Windows Server Backup doesn't have an option to email results of backup jobs. Using the [Get-WBSummary](#) Windows Server Backup PowerShell command, this script gets the last successful backup date and confirms it's within a specified period. It also counts the number of warning and error events in the "Microsoft/Windows/Backup" Event Logs, and sends the results to CheckCentral.

Setting Up the API Token and the Script Installation

- Download the script: [windows_server_backup.ps1](#)
- In CheckCentral, go to Organization > API.



- Click "Add Token."



- Give the token a name, e.g. `SERVER01 Windows Server Backup Script`.
- Select "createActivities Only" in the Access Level drop-down and click Save.

Add API Token ✕

Name	<input type="text" value="SERVER01 Windows Server Backup Script"/>
Access Level	<div style="border: 1px solid #ccc; padding: 2px;">CreateActivities Only ▾</div>

The API token will have access to the following endpoints:

CreateActivities Only

- createActivities

Save

- Copy the token, and paste it in the `$apiToken` variable of the script.

API Tokens + Add Token 🔍 Documentation

API Token	Name	Created	Created By
🔒 CreateActivities Only Access Tokens			
<code>ada293c826f94e8189d1e761bc09bdc8</code>	SERVER01 Windows Server Backup Script	Aug 2, 2022 1:55 PM	System

```

17
18
19 #####
20 # Script Settings #
21 #####
22
23 # CheckCentral API key ("createActivities Only" token type is recommended)
24 $apiToken = "ada293c826f94e8189d1e761bc09bdc8"
25
26 # Set the recovery point objective time to check here (in hours)
27 # If your job runs daily, set this to 24 hours to make sure
28 # the last successful backup is less than 24 hours old.
29 # If your job runs more frequently, e.g. hourly, then set this to
30 # 1 so that the script confirms the latest backup is less than 1 hour old
31 $rpoHours = 24
32

```

- If needed, modify the RPO time in hours in the `$rpoHours` variable. This will correspond to the schedule as set in Windows Server Backup. e.g. If your job runs daily, set this to `24` to make sure the last successful backup is less than 24 hours old.
- Run the script. You'll now see an unmatched activity in CheckCentral.

For multiple instances, consider using unique API keys. If at a later date one needs to be revoked, it will then only impact a single instance.


Scheduling

- Configure this script to run on a machine somewhere as a regularly scheduled task. (Daily in this example)

Configure the Check

Create and Identify

- In CheckCentral, go to Activities.



- Select "Unmatched" from the Matched dropdown selector and then click the "Filter" button.

The results will show below.

The screenshot shows the 'Filter' interface. It includes several filter criteria: 'Group Name' (All), 'Check Name' (All), 'Activity Status' (All), 'Matched' (Unmatched), 'Activity Limit' (25), 'Activity Source' (Email, User Set, Overdue, CheckCentral API), and 'Date Range' (2021-04-30 to 2022-08-02). At the bottom right, there are three buttons: 'Reprocess', 'Delete Unmatched', and 'Filter'. The 'Filter' button is highlighted with a red rectangular box.

Below the filter interface, the 'Activities' section is visible. It contains a table with the following data:

<input type="checkbox"/> Date	Title	Matched Check
<input type="checkbox"/> 52s ago	Windows Server Backup Summary: SERVER01	Unmatched [create check] [add ignore rule]

- Click the "Create Check" link next to the relevant activity.

Activities		
<input type="checkbox"/> Date	Title	Matched Check
<input type="checkbox"/> 52s ago	Windows Server Backup Summary: SERVER01	Unmatched [create check] add ignore rule

- Leave the Name as is.
- Select an existing Check Group or create a new one by clicking "[Add Check Group](#)".
- Select an existing Label or create a new one by typing the name in the text field of the dropdown (optional).
- Add a description (optional).

The Asset ID is used exclusively with certain ticketing systems and is not required for Checks. Asset ID details and ticketing systems are more fully covered by other documents (e.g. [Halo Integration \(asset ID\)](#).)

- Leave the Asset ID blank.

Your Check so far will look something like this:

The screenshot shows the 'Identification' tab of a check configuration interface. It features a progress bar at the top with tabs for 'Identification', 'Schedule', 'Matching', and 'Status'. The 'Identification' tab is active. Below the progress bar, the 'Identification' section contains the following fields:

- Name:** A text input field containing "Windows Server Backup Summary: SERVER01".
- Assign to Group:** A dropdown menu set to "Windows Servers" with an "Add Check Group" button to its right.
- Label:** A dropdown menu with the placeholder text "enter check label (optional)" and a close button (X).
- Description:** A large, empty text area for optional description.
- Asset ID:** An empty text input field.

Navigate to the next step in CheckCentral by clicking the "Next" button or the tab name.


Schedule

- Leave "Scheduled" selected as we will be running the script regularly.
- Assuming you'll run the script daily, leave the Expected Interval on "1" "Day(s)." If you plan to run the script on another interval, adjust accordingly.

The initial expectation time is set by the first email message that is received and processed by its Check. (For example, if a notification email arrives at noon and its Check is set for every half hour, it will expect another notification email at 12:30.)

- Leave the Set as Overdue setting at "After 30 Minutes." If the script notification email is not received after this amount of time has been exceeded, the Check will be marked as a failure.

Leave Custom Schedule de-selected.



The screenshot shows the 'Schedule' tab of a configuration interface. It features four tabs: 'Identification', 'Schedule' (active), 'Matching', and 'Start'. The 'Schedule' tab contains the following settings:

- Frequency:** Radio buttons for 'Unscheduled' and 'Scheduled'. 'Scheduled' is selected.
- Expected Interval:** A text input field containing '1' and a dropdown menu set to 'Day(s)'.
- Set as Overdue:** A dropdown menu set to 'After 30 Minutes'.
- Use Custom Schedule:** An unchecked checkbox.


Matching

The Matching step is what matches a notification email to its specific Check. It's also where you'll set the notification's CheckCentral destination email. For email-based notifications, this email can be used for quick matching. Because this is an API-created activity, other Matching Rules are needed.

A Matching Rule is created by default with the Subject of the message crafted by the earlier test run of the script. The "Subject" "Is Exactly" dropdowns and the text `Windows Server Backup Summary:` are displayed, appended with the Computer Name of the computer running the script.

- Leave the Matching Rule as is.

- Leave Condense Whitespace and Combine Attachments enabled.



The screenshot shows the 'Matching' configuration tab in CheckCentral. At the top, there are three tabs: 'Identification', 'Schedule', and 'Matching' (which is active). Below the tabs, there is a blue header bar. The main content area is titled 'Matching' and contains the following elements:

- An unchecked checkbox labeled 'Use email address specific to this check:'.
- Text: 'Your source application should be configured to send an email to the following email address:'.
- An email address: `genericcompanyabc@mycheckcentral.cc`.
- A section titled 'Additional Criteria' with a '+ Add Matching Rule' link.
- Two checked checkboxes: 'Condense Whitespace' and 'Combine Attachments'.
- Text: 'Message must match' followed by a dropdown menu set to 'All' and the text 'of the following conditions:'.
- A list of conditions: 'Subject' (dropdown), 'Is Exactly' (dropdown), and 'Windows Server Backup Summary: SERVE' (with a trash icon).

The email address will appear different based on your organization name and the name you specified for your check.

Status

The previous Matching step identifies the incoming message to the Check. The Status step looks for indicators of what type of notification you're receiving (e.g. The job was successfully run, it failed, or there were some issues.)

The activity the script creates will include a summary line like this: `Recent: True, Errors: 0, Warnings: 0` in the body, so you'll configure the check status conditions to parse that line.

- Leave the Default Status on "Failure."

The "Success Criteria" section is where you'll set the criteria that will mark an activity as successful.

- Click [+ Add Success Rule](#).

- Set the rule to "Body Text" "Contains"

Recent: True, Errors: 0, Warnings: 0

- The "Warning Criteria" section is where you'll set the criteria that will mark an activity with a warning.

- Click [+ Add Warning Rule](#).

- Set the rule to "Body Text" "Contains"

Recent: True, Errors: 0

- Click [+ Add Warning Rule](#) again.

- Set the rule to "Body Text" "Does Not Contain" Warnings: 0

- Leave the Condense Whitespace and Combine Attachments checkboxes enabled.

Identification
Schedule
Matching
Stat

Status

<i>Default Status</i>	Failure
-----------------------	---------

Success Criteria

Rules [+ Add Success Rule](#)

Condense Whitespace

Combine Attachments

Message must match All of the following conditions:

Body Text	Contains	Recent: True, Errors: 0, Warnings: 0	✖
-----------	----------	--------------------------------------	---

Warning Criteria

Rules [+ Add Warning Rule](#)

Condense Whitespace

Combine Attachments

Message must match All of the following conditions:

Body Text	Contains	Recent: True, Errors: 0	✖
Body Text	Does Not Contain	Warnings: 0	✖

Notifications

Notifications are simply how you want to be informed of Check Failures, Warnings, and some other Status changes.

Email, push, chat and other software can be integrated as well as ticketing systems, allowing for automatic ticket creation and management.

Further configuration is required for each to function and is done via the Notifications tab in the main menu. They can be configured before or after Check creation.

For more understanding of Notification setup, see the [CheckCentral Beginner's Guide \(Notifications\)](#).

- Select the desired means of Notification. If in doubt of the selections here, leave the defaults.

Save

- To confirm the activity now matches the check, click the Test button.

Under "Recent Messages Now Matched" your previously unmatched activity will be displayed with a green Status indicator (assuming the status was returned with no Errors or Warnings).

Date	Title	Status
9m ago	Windows Server Backup Summary: SERVER01	●
9m ago	Windows Server Backup Summary: SERVER01	●

- Close the Test window.
- Click the "Save Check" button.

For more detail on Check creation and best practices, see our [Check Creation Guide](#).

For other guides and support contact information, see [CheckCentral Support](#)

About CheckCentral

CheckCentral Monitoring consolidates and simplifies backup, system, and software email updates into a clean, graphical dashboard, bringing peace of mind to IT administrators of SMBs, Enterprises, and MSPs.

To learn more about CheckCentral, visit: <https://www.checkcentral.cc>

About Binary Fortress Software

Binary Fortress has spent 19 years in pursuit of one goal: create software to make life easier. Our software ranges from display management and system enhancement utilities to monitoring tools and digital signage. IT administrators, professional gamers, coffee-shop owners, and MSPs all rely on Binary Fortress to make their days better, and their lives easier.

Copyright © 2007-2026 Binary Fortress Software, all rights reserved.
The Binary Fortress logo is a trademark of Binary Fortress Software.
The CheckCentral logo is a trademark of Binary Fortress Software.

Binary Fortress Software
1000 Innovation Drive, Suite 500
Kanata, Ontario, Canada
K2K3E7
<https://www.binaryfortress.com>